
ARMY ENVIRONMENTAL HYGIENE AGENCY ABERDEEN PROVING GR--ETC F/G 6/20
TOPICAL HAZARD EVALUATION PROGRAM OF CANDIDATE INSECT REPELLENT--ETC(U)
NAY 80 A W SINGER
USAEMA-75-51-0004-80 AD-A085 470 UNCLASSIFIED DTIC







UNITED STATES ARMY ENVIRONMENTAL HYGIENE AGENCY

ABERDEEN PROVING GROUND, MD 21010

TOPICAL HAZARD EVALUATION PROGRAM

OF CANDIDATE INSECT REPELLENTS AI3-33663A AND AI3-35580A
US DEPARTMENT OF AGRICULTURE PROPRIETARY COMPOUNDS
STUDY NOS. 75-51-0004-80, 75-51-0005-80
SEPTEMBER 1976 - MARCH 1980



Approved for public release, distribution unlimited.

80 5 30 026

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM	
75-51-0004-80 And 75-51-0005-80 AD-AD154		
4. TITLE (and Subtitio) Topical Hazard Evaluation Program of Candidate Inse Repellents AI3-33663a and AI3-35580a, US Department of Agriculture Proprietary Compounds, Study Nos.	Final, Sep 76 - Mar 80	
75-51-0004-80 and 75-51-0005-80, September 1976 to	6. PERFORMING ORG. REPORT NUMBER	
ALLEN W. SINGER, CPT, VC	6. CONTRACT OR GRANT NUMBER(a)	
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Environmental Hygiene Agency Aberdeen Proving Ground, MD 21010	16. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS	
11. CONTROLLING OFFICE NAME AND ADDRESS Commander	12. REPORT DATE Sep 76 - Mar 80	
US Army Health Services Command Fort Sam Houston, TX 78234	13. NUMBER OF PAGES	
14. MONITORING AGENCY NAME & ADDRESS(if different from Controlling Office)	15. SECURITY CLASS. (of this report) Unclassified	
· ·	18. DECLASSIFICATION/DOWNGRADING	
Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the ebetract entered in Block 20, If different fro	m Report)	
18. SUPPLEMENTARY NOTES		
AI3-33663a USDA Proprietary Compounds AI3-35580a Topical Hazard Evaluation Candidate Repellents Photoirritation Eye Irritation Skin Irritation		
The American Commission on reverse each M recovery and identify by block number) Preliminary hazard evaluations of AI3-33663a and AI means of laboratory animal studies using rats, rabb technical grade commounds did not cause any skin.	3-35580a were performed by oits, and guinea pigs. The	

Preliminary hazard evaluations of AI3-33663a and AI3-35580a were performed by means of laboratory animal studies using rats, rabbits, and guinea pigs. The technical grade compounds did not cause any skin, eye or photoirritation, and did not cause a sensitization reaction. They also were not acute ingestion hazards. It was recommended that both AI3-33663a and AI3-35580a be approved for further testing as candidate insect repellents.

DD 1 AM 79 1473 EDITION OF 1 NOV 65 IS OBSOLETE

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)



DEPARTMENT OF THE ARMY

CPT Singer/jc/AUTOVON 584-3980

U. S. ARMY ENVIRONMENTAL HYGIENE AGENCY ABERDEEN PROVING GROUND, MARYLAND 21010

23 MAY 1980

SUBJECT:

Topical Hazard Evaluation Program of Candidate Insect Repellents AI3-33663a and AI3-35580a, US Department of Agriculture Proprietary

Compounds (

Executive Secretary Armed Forces Pest Management Board Forest Glen Section, WRAMC Washington, DC 20012

(9) Final rept. Sep 76-Mar 80,

10) Allen W./Singer / 11) 23 May 88 2

A summary of the pertinent findings and recommendations of the inclosed $/\!\!/2$) $\mathcal I$ report follows:

Preliminary hazard evaluations of AI3-33663a and AI3-35580a were performed by means of laboratory animal studies using rats, rabbits, and guinea pigs. The technical grade compounds did not cause any skin, eye or photoirritation, and did not cause a sensitization reaction. They also were not acute ingestion hazards. It was recommended that both AI3-33663a and AI3-35580a be approved for further testing as candidate insect repellents.

FOR THE COMMANDER: (14) 45 AEHA-75-51-0804-803

USAEHA-73-51-0005-80 JOHN F. MAZUR

1 Incl as (5 cy)

MAJ. MSC Director, Laboratory Services

CF: HQDA (DASG-PSP) Cdr, HSC (HSPA-P) Dir, Advisory Ctr on Tox, NRC Supt, AHS (HSA-IPM)
USDA, ARS (Dr. Terrence McGovern) USDA, ARS-Southern Region

Accession For MTIS GRAAI DOC TAB Unannounced Justification	
Distribution/ Avgilability Cod	
Dist Avaid and/or special	

138250



DEPARTMENT OF THE ARMY U. S. ARMY ENVIRONMENTAL HYGIENE AGENCY ABERDEEN PROVING GROUND, MARYLAND 21010

HSE-LT-T/WP

TOPICAL HAZARD EVALUATION PROGRAM

OF CANDIDATE INSECT REPELLENTS AI3-33663A AND AI3-35580A
US DEPARTMENT OF AGRICULTURE PROPRIETARY COMPOUNDS
STUDY NOS. 75-51-0004-80, 75-51-0005-80
SEPTEMBER 1976 - MARCH 1980

1. AUTHORITY.

- a. Letter, US Department of Agriculture Agricultural Research Service, Southern Region, Insects Affecting Man Research Laboratory, Gainesville, Florida, 29 September 1976.
- b. Memorandum of Understanding between the US Army Environmental Hygiene Agency; the US Army Health Services Command; the Department of the Army Office of The Surgeon General; the Armed Forces Pest Control Board; and the US Department of Agriculture, Agricultural Research, Science and Education Administrations; titled, Coordination of Biological and Toxicological Testing of Pesticides, effective 23 January 1979.
- 2. REFERENCE. Toxicology Division Procedural Guide, US Army Environmental Hygiene Agency (USAEHA), 1972, revised 1976.
- 3. PURPOSE. The purpose of this program is to provide guidance for further entomological testing of the candidate insect repellents AI3-33663a and AI3-35580a.
- 4. SUMMARY OF FINDINGS. Hazard evaluations of the candidate repellents AI3-33663a and AI3-35580a, US Department of Agriculture (USDA) Proprietary Compound, were conducted by this Agency using New Zealand White rabbits for skin and eye studies, Hartley guinea pigs for a skin sensitization study and Sprague-Dawley rats for determination of oral toxicity. A tabular presentation of animal toxicity data developed in this Agency follows: *t

Approved for public release; distribution unlimited.

^{*} In conducting the studies described in this report, the investigators adhered to the "Guide for the Care and Use of Laboratory Animals," US Department of Health, Education, and Welfare Publication No. (NIH) 74-23, revised 1978.

t The experiments reported herein were performed in animal facilities fully accredited by the American Association for the Accreditation of Laboratory Animal Care.

Study No. 75-51-0004-80, 75-51-0005-80, Sep 76 - Mar 80

TABLE. PRESENTATION OF DATA

Test	Results	Interpretation
SKIN IRRITATON STUDIES		
Rabbits		
Single 24-hour application to intact and abraded skin of New Zealand. White rabbits. 0.5 mL technical grade compound applied to each of six rabbits.	Compounds AI3-33663a and AI3-35580a did not cause any irritation of the intact skin or of the skin surrounding an abrasion.	USAEHA Category I (ref Appendix).
EYE IRRITATON STUDIES		
Rabbits		
Single 24-hour application of 0.1 mL technical grade compound to one eye of each of six New Zealand White rabbits.	Compounds AI3-33663a and AI3-35580a did not cause any irritation to corneal or conjunctival tissues.	USAEHA Category A (ref Appendix).
APPROXIMATE LETHAL DOSE (ALD)		
<u>0ra1</u>		
Rats (male) - no diluent	ALD for AI3-33663a was determined to be greater than 3800 mg/kg; and for AI3-35580a was 3300 mg/kg	Presents little lethal hazard from accidental ingestion.

Test

Results

Interpretation

PHOTOCHEMICAL SKIN IRRITATION STUDIES

Rabbits

A single 0.05 mL application of a 25 percent (w/v) solution of the compounds and a 10 percent(w/v) 0il of Bergamot solution (positive control) in 95 percent ethyl alcohol were applied to the intact skin of six rabbits. Five minutes after application, the rabbits were exposed to UV light (365 nm) for 30 minutes at a distance of 10-15 cm.

A 25 percent solution of either compound in ethanol did not cause a photochemical irritation reaction under test conditions. Compounds AI3-33663a and AI3-35580a did not cause photochemical irritation reaction under test conditions and are not expected to cause a photochemical irritation in humans.

Control

Following UV exposures of the rabbits, 0.05 mL of test compound, positive control and diluent were applied to additional skin areas to serve as unirradiated control sites. Application areas were checked for skin irritation at 24, 48 and 72 hours.

Positive control application and irradiation caused greater irritant effects than in unirradiated skin areas.

Test

Results

Interpretation

SENSITIZATION STUDIES

Guinea Pigs (Male)

Intradermal injections of 0.1 mL of a 0.1 percent solution (w/v) of either AI3-33663a, AI3-35580a, or of dinitrochlorobenzene (DNCB)* in a mixture containing 1 volume of propylene glycol and 29 volumes of saline.

Ten test guinea pigs were given 10 sensitizing doses over a 3-week period.
After 2 weeks rest, they were challenged with ID injections of test compound.

Ten positive control guinea pigs were sensitized over 3 weeks with DNCB. After 2 weeks rest, they were challenged with ID injections of DNCB.

Challenge dose of either test compound did not produce a sensitization reaction.

Challenge dose of DNCB in positive control guinea pigs produced a marked sensitization reaction in 10 out of 10 guinea pigs.

Compounds AI3-33663a and AI3-35580a did not produce a sensitization reaction under test conditions and are not expected to produce a sensitization reaction in man.

DNCB produced a marked reaction, indicating guinea pigs respond to sensitizing agents.

^{*} A known skin sensitizer

Study No. 75-51-0004-80, 75-51-0005-80, Sep 76 - Mar 80

- 5. CONCLUSION. Technical grade compounds AI3-33663a and AI3-35580a are not skin, eye or photoirritants nor sensitizers. Neither compound presents an acute ingestion hazard.
- 6. RECOMMENDATION. Under the provisions of the Memorandum of Understanding (paragraph 1b), it is recommended at AI3-33663a and AI3-35580a, USDA Proprietary Compounds, be approved for further testing as candidate insect repellents.

ALLEN W. SINGER

CPT, VC

Veterinary Animal Laboratory Officer

Toxicology Division

APPROVED:

ARTHUR H. McCREESH, Ph.D. Chief, Toxicology Division

TOPICAL HAZARD EVALUATION PROGRAM DEFINITIONS OF CATEGORIES OF COMPOUNDS BEING CONSIDERED FOR ACUTE SKIN APPLICATION

<u>CATEGORY I</u> - Compounds producing no primary irritation of the intact skin or no greater than mild primary irritation of the skin surrounding an abrasion. (INTERPRETATION: No restriction for acute application to the human skin.)

<u>CATEGORY II</u> - Compounds producing mild primary irritation of the intact skin and the skin surrounding an abrasion. (INTERPRETATION: Should be used only on human skin found by examination to have no abrasions or may be used as a clothing impregnant.)

CATEGORY III - Compounds producing moderate primary irritation of the intact skin and the skin surrounding an abrasion. (INTERPRETATION: Should not be used directly on the skin without a prophetic patch test having been conducted on humans to determine irritation potential to human skin. May be used without patch testing, with extreme caution, as clothing impregnants. Compound should be resubmitted in the form and at the intended use concentration so that its irritation potential can be reexamined using other test techniques on animals.)

CATEGORY IV - Compounds producing moderate to severe primary irritation of the intact skin and of the skin surrounding an abrasion and, in addition, producing necrosis, vesiculation, and/or eschars. (INTERPRETATION: Should be resubmitted for testing in the form and at the intended use concentration. Upon resubmission, its irritation potential will be reexamined using other test techniques on animals, prior to possible prophetic patch testing in humans, at concentrations which have been shown not to produce primary irritation in animals.)

<u>CATEGORY V</u> - Compounds impossible to classify because of staining of the skin or other masking effects owing to physical properties of the compound. (INTERPRETATION: Not suitable for use on humans.)

EYE CATEGORIES:

- A. <u>Compounds noninjurious to the eye</u>. INTERPRETATION: Irritation of human eyes is not expected if the compound should accidentally get into the eyes, provided it is washed out as soon as possible.
- B. <u>Compounds producing mild injury to the cornea</u>. INTERPRETATION: Should be used with caution around the eyes.
- C. Compounds producing mild injury to the cornea, and in addition some injury to the conjunctiva. INTERPRETATION: Should be used with caution around the eyes and mucosa.
- D. Compounds producing moderate injury to the cornea. INTERPRETATION: Should be used with extreme caution around the eyes.
- E. Compounds producing moderate injury to the cornea, and in addition producing some injury to the conjunctiva. INTERPRETATION: Should be used with extreme caution around the eyes and mucosa.
- F. Compounds producing severe injury to the cornea and to the conjunctiva. INTERPRETATION: Should be used with extreme caution. It is recommended that use be restricted to areas other than the face.



